Express Mail No. EL818623952US

Inventor(s): Cvitkovitch et al Atty Dkt No.: 1889-00401

Contact: C.M. Mintz (713)238-8000


Sheet 1 of 19

Figure 1

Schematic layout of the arrangement of the genetic locus encoding the signal peptide precursor, the histidine kinase and the response regulator. Note that this arrangement is different from other loci in related streptococci for the following reasons: a) The comC gene is transcribed from its own promoter alone, unlike the genes thus far described in other streptococci that are arranged in an operon-like cluster with the comC/DE genes being transcribed from a single promoter.

b) The comC gene is separated from the comD gene by 148 nucleotides.

Streptococcus mutans ComCDE Operon



Contact: C.M. Mintz (713)238-8000

Sheet 2 of 19

Figure 2
Sequences of the open reading frames encoding the signal peptide precursor (ComC), the histidine kinase (ComD), and the response regulator (ComE).

> S. mutans comC gene Encodes a precursor to a signal peptide [ATGAAAAAACACTATCATTAAAAAATGACTTTAAAGAAATTAAGACTGATGAATTAG AGATTATCATTGGCGGA (AGCGGAAGCCTATCAACATTTTTCCGGCTGTTTAACAGAAG TTTTACACAAGCTTTGGGAAAA)]TAA

> S. mutans CSP encoding sequence Competence Signal Peptide AGCGGAAGCCTATCAACATTTTTCCGGCTGTTTAACAGAAGTTTTACACAAGCTTTGGG AAAA [SEQ ID NO:1]

> S. mutans comD gene Encodes a protein that functions as a histidine kinase receptor

[ATGAATGAAGCCTTAATGATACTTTCAAATGGTTTATTAACTTATCTAACCGTTCTAT TTCTCTTGTTTCTATTTTCTAAGGTAAGTAATGTCACTTTATCGAAAAAGGAATTAACT ${\tt CTTTTTTCGATAAGCAATTTTCTGATAATGATTGCTGTTACGATGGTGAACGTAAACCT}$ GTTTTATCCTGCAGAGCCTCTTTATTTTATAGCTTTATCAATTTATCTTAATAGACAGA ATAGTCTTTCTCTAAATATATTTTATGGTCTGCTGCCTGTTGCCAGTTCTGACTTGTTT AGGCGGCAATCATATTCTTTATCTTGGATGGAACTCAAGGAATTGTAATGGGCAGTAG CATTATAACCACCTATATGATCGAGTTTGCAGGAATAGCGCTAAGTTACCTCTTTCTCA GTGTGTTCAATGTTGATATTGGTCGACTTAAAGATAGTTTGACCAAGATGAAGGTCAAA AAACGCTTGATTCCAATGAATATTACTATGCTTCTATACTACCTTTTAATACAGGTATT GTATGTTATAGAGAGTTATAATGTGATACCGACTTTAAAATTTCGTAAATTTGTCGTTA TTGTCTATCTTATTTTTTTTTTGATTCTGATCTCATTTTTAAGCCAATATACCAAACAA AAGGTTCAAAATGAGATAATGGCACAAAAGGAAGCTCAGATTCGAAATATCACCCAGTA TAGTCAGCAAATAGAATCTCTTTACAAGGATATTCGAAGTTTCCGCCATGATTATCTGA ATATTTTAACTAGCCTCAGATTAGGCATTGAAAATAAAGATTTAGCTAGTATTGAAAAG ATTTACCATCAAATCTTAGAAAAACAGGACATCAATTGCAGGATACCCGTTATAATAT CGGCCATCTAGCTAATATTCAAAACGATGCTGTCAAGGGTATCTTGTCAGCAAAAATCT TAGAAGCTCAGAATAAAAAGATTGCTGTCAATGTAGAAGTCTCAAGTAAAATACAACTG CCTGAGATGGAGTTGCTTGATTTCATTACCATACTTTCTATCTTGTGTGATAATGCCAT TGAGGCTGCTTTCGAATCATTAAATCCTGAAATTCAGTTAGCCTTTTTTAAGAAAAATG GCAGTATAGTCTTTATCATTCAGAATTCCACCAAAGAAAAACAAATAGATGTGAGTAAA ATTTTTAAAGAAAACTATTCCACTAAAGGCTCCAATCGCGGTATTGGTTTAGCAAAGGT TATTCAAGCAACTCCTAATAATAAAA] TAG

> S. mutans comE gene
Encodes a response regulator that activates transcription
of a number of genes

Contact: C.M. Mintz (713)238-8000

Sheet 3 of 19

Contact: C.M. Mintz (713)238-8000

Sheet 4 of 19

Figure 3 The amino acid sequences of the signal peptide precursor (ComC), the histidine kinase (ComD), and the response regulator (ComE).

- > S. mutans ComC protein (CSP Precursor)
 MKKTLSLKNDFKEIKTDELEIIIGGSGSLSTFFRLFNRSFTQALGK
- > S. mutans Comd protein (Histidine Kinase)
 MNEALMILSNGLLTYLTVLFLLFLFSKVSNVTLSKKELTLFSISNFLIMIAVTMVNVNL
 FYPAEPLYFIALSIYLNRQNSLSLNIFYGLLPVASSDLFRRAIIFFILDGTQGIVMGSS
 IITTYMIEFAGIALSYLFLSVFNVDIGRLKDSLTKMKVKKRLIPMNITMLLYYLLIQVL
 YVIESYNVIPTLKFRKFVVIVYLILFLILISFLSQYTKQKVQNEIMAQKEAQIRNITQY
 SQQIESLYKDIRSFRHDYLNILTSLRLGIENKDLASIEKIYHQILEKTGHQLQDTRYNI
 GHLANIQNDAVKGILSAKILEAQNKKIAVNVEVSSKIQLPEMELLDFITILSILCDNAI
 EAAFESLNPEIQLAFFKKNGSIVFIIQNSTKEKQIDVSKIFKENYSTKGSNRGIGLAKV
 NHILEHYPKTSLQTSNHHHLFKQLLIIK
- > S. mutans Come protein (Response Regulator)
 MISIFVLEDDFLQQGRLETTIAAIMKEKNWSYKELTIFGKPQQLIDAIPEKGNHQIFFL
 DIEIKKEEKKGLEVANQIRQHNPSAVIVFVTTHSEFMPLTFQYQVSALDFIDKSLNPEE
 FSHRIESALYYAMENSQKNGQSEELFIFHSSETQFQVPFAEILYFETSSTAHKLCLYTY
 DERIEFYGSMTDIVKMDKRLFQCHRSFIVNPANITRIDRKKRLAYFRNNKSCLISRTKL
 TKLRAVIADQRRAK

Express Mail No. EL818623952US Inventor(s): Cvitkovitch et al

Atty Dkt No.: 1889-00401 Contact: C.M. Mintz (713)238-8000

Sheet 5 of 19

Figure 4

The deduced amino acid sequence of the signal peptide precursor in various strains and its predicted cleavage site. The original peptide is expressed as a 46-amino acid peptide that is cleaved after the glycine-glycine residues to generate an active signal peptide.

BM71 CSP	1 MKKTPSLKNDFKEIKTDELEIIIGGSGSLSTFFRLFNRSFTQALGK 46
GB14 CSP	1 MKKTLSLKNDFKEIKTDELEIIIGGSGSLSTFFRLFNRSFTQALGK 46
H7 CSP	1 MKKTLSLKNDFKEIKTDELEIIIGGSGSLSTFFRLFNRSFTQALGK 46
JH1005 CSP	1 MKKTLSLKNDFKEIKTDELEIIIGGSGTLSTFFRLFNRSFTQA 43
LT11 CSP	1 MKKTLSLKNDFKEIKTDELEIIIGGSGSLSTFFRLFNRSFTQALGK 46
NG8 CSP	1 MKKTLSLKNDFKEIKTDELEIIIGGSGSLSTFFRLFNRSPTQALGK 46
UAB159 CSP	1 MKKTLSLKNDFKEIKTDELEITIGGSGSLSTFFRLFNRSFTQALGK 46
	**** ************

consensus: 1 MKKTLSLKNDFKEIKTDELEIIIGG SGSLSTFFRLFNRSFTQALGK 46 predicted cleavage site:

Figure 5


The synthetic signal peptide that is effective at inducing competence, biofilm formation and acid tolerance in *Streptococcus mutans*.

SGSLSTFFRLFNRSFTQALGK [SEQ ID NO:2]

Contact: C.M. Mintz (713)238-8000

Sheet 6 of 19

Figure 6
The natural activity of the signal/receptor system functioning in vitro in model biofilms as determined by the ability of various strains of S. mutans to accept donor plasmid DNA conferring erythromycin resistance.



Contact: C.M. Mintz (713)238-8000

Sheet 7 of 19

Figure 7
Induction of genetic transformation in *Streptococcus mutans* by synthetic competence stimulating peptide (SCSP)¹

Strain	Peptide added Number of Transformants/Recipients	No peptide Number of Transformants/Recipients
UAB15	4.65 X 10 ⁻¹	1.78 X 10 ⁻⁶
JH1005 ²	6.98 X 10 ⁻²	0

The final concentration of SCSP used was 500 ng/ml.

The strain contains a nonsense mutation in the comC gene encoding the CSP.

Express Mail No. EL818623952US Inventor(s): Cvitkovitch et al

Atty Dkt No.: 1889-00401

Contact: C.M. Mintz (713)238-8000

Sheet 8 of 19

Figure 8

List of the primers used to amplify the genes or internal regions of the target genes by polymerase chain reaction (PCR) for subsequent sequencing or inactivation.

ComC region

ComC Primer Pair: F5-B5

[F5] 23406-23424 5'- AGTTTTTTGTCTGGCTGCG -3'
19 nt forward primer
pet G+C: 47.4 Tm: 50.5

[B5] 24056-24037 5'- TCCACTAAAGGCTCCAATCG -3' 20 nt backward primer pct G+C: 50.0 Tm: 51.9

651 nt product for F5-B5 pair (23406-24056) Optimal annealing temp: 50.3 pct G+C: 30.9 Tm: 71.5

ComD region

ComD Primer Pair: F1-B1

[F1] 392-415 5'- CGCTAAGTTACCTCTTTCTCAGTG -3'
24 nt forward primer
pct G+C: 45.8 Tm: 51.6

[B1] 683-663 5'- GCTTCCTTTTGTGCCATTATC -3'
21 nt backward primer
pct G+C: 42.9 Tm: 50.8

292 nt product for F1-B1 pair (392-683) Optimal annealing temp: 49.5 pct G+C: 30.8 Tm: 70.2

ComE region

ComE Primer Pair: F1-B1

[F1] 145-165 5'- CCTGAAAAGGGCAATCACCAG -3' 21 nt forward primer pct G+C: 52.4 Tm: 55.9

[B1] 606-585 5'- GCGATGGCACTGAAAAAGTCTC -3'
22 nt backward primer
pct G+C: 50.0 Trn: 55.4

462 nt product for F1-B1 pair (145-606) Optimal annealing temp: 53.6 pct G+C: 38.3 Tm: 74.1 Express Mail No. EL818623952US Inventor(s): Cvitkovitch et al


Atty Dkt No.: 1889-00401

Contact: C.M. Mintz (713)238-8000

Sheet 9 of 19


Figure 9
ComCDE local region. The ComC (first highlighted region; nucleotides 101 to 241),
ComD (second highlighted region; nucleotides 383 to 1708) and ComE (third highlighted region; nucleotides 1705 to 2457) proteins are highlighted.

Sequence Range: 1 to 2557



Contact: C.M. Mintz (713)238-8000

Sheet 10 of 19



Express Mail No. EL818623952US Inventor(s): Cvitkovitch et al Atty Dkt No.: 1889-00401 Contact: C.M. Mintz (713)238-8000 Sheet 11 of 19


			//		O	?F	RF	41	C			, uc	i. r., my	te service	er æ
					_••	•		. = 3	<u> </u>						
	8	60			870			88	٥		8	90			900
TGTC	:CTG	TTT	TTT	CTA	AGA:		'GA'	GGT	AAA	TCI	_		TAC	TAG	
ACAG								.CCA							
H. C		· K	Ti.		.				/2°>	***	36.7				
	and the same	V CLPR	(: '		OI	=	RF	A		Now,	Aw iz		Sec.	OF STREET	CALM.
						-	R.F	(-E-)	с <u> </u>						
	۵	10			920			^~			_				
A mese			man.					93	_			40			95(
ATCI															
TAGA			MGT.	TAU		Car	LEAL Line								
		N		.		-20. N	HC.	F.ac.		4.00	L	T	N.	I (Y
					O	₹F	RF	41	C						
	_														
		60			970			98				90			000
CATC															
GTAC	CGC		TGA	AGC:	LTA:	ľAG	GAA	CAT	TTC	TCT	AAC	ATA	AAC	GAC	TG
M	A	E	T	5	N	I	L	V	K	R	F	Y	L	L	T
Sudan Track															
H	· R	100	S.	R				Y	<u>,</u> L.	. s	E	ď	Q	Q	ွန
					Of	۲F	RF	4]	C						
	10				020			103				40			050
TACT	GGG'	TGA.	rat'	TTÇ(TAA :	CI	GAG	CIT	CCI	TTT	GTG	CÇA	TTA	TCT	CA'
ATGA	.CCC	ACT	ATA	AAG(CTTA	\GA	CTC	GAA	GGA	AAA	CAC	GGT	AAT	AGA	GTZ
I L		D	I	5	N	L			I			_			
_														_	
\mathbf{x} \rightarrow 0	4	Ϋ́	* N	R	T.	- °O	1.00	₹¥E	R	CHO	· / Z	% XM	110 T	ं	
			•	,	OF	.	10 10 7 10 1	· 100 .	: 97b-T						X
							RF [4]	C						
					_		RF [4]	C						
	10	60		1(70		RP [[4] 108	с 0		10	90		1	100
TTGA			rgt:		70			108		АДТ		90 ATC	262	1	100
TTGA AACT	ACC	rtt:	PGT:	r t g(270 STAT	'AT	TGG	108 CIT	AAA	AAT TTA	GAG	ATC	AGA	ATC	AA/
AACT	ACC TGG	TTT:	ACA	rtg(70 TATA	'AT AT	TGG ACC	108 CIT	AAA	AAT TTA	GAG	ATC	aga TCT	ATC	AA/
AACT	ACC TGG	TTT:	ACA	rtg(70 TATA	'AT AT	TGG ACC	108 CIT	AAA	AAT TTA	GAG	ATC	aga TCT	ATC	AA/
AACT	ACC TGG	TTT:	ACA	rtg(70 TATA	'AT AT	TGG ACC	108 CIT	AAA	AAT TTA	GAG	ATC	AGA TCT	ATC	AA/
AACT	ACC TGG	TTT:	ACA	rtg(O70 STAT	AT TA	TGG ACC L	108 CIT GAA A> S	AAA TTT	aat Tta	GAG	ATC	aga TCT	ATC	AA/
AACT	ACC TGG	TTT:	ACA	rtg(70 TATA	AT TA	TGG ACC	108 CIT GAA A> S	AAA	aat Tta	GAG	ATC	aga TCT	ATC	AA/
AACT	ACC TGG N	L I	ACA	PTG(O70 STAT CATA E I	AT TA	TGG ACC L O	108 CIT GAA A> S	AAA TTT C	aat Tta	GAG CTC	TAG	aga TCT	atc Tag	AA/ TT1
AACT L	ACC TGG N	rtt AAA L]	ACAI	PTGC AACC F C	O70 STATA CATA CATA OR	AT TA	TGG ACC L Q	108 CIT GAA A> S 4]	AAA TTT C	TTA F	GAG CTC	ATC TAG	TCT	ATC TAG	AA/ TT?
AACT L	ACC TGG N	rtt AAA L]	ACAI	PTGC AACC F C	O70 STATA CATA CATA OR	AT TA	TGG ACC L Q	108 CIT GAA A> S 4]	AAA TTT C	TTA F	GAG CTC	ATC TAG	TCT	ATC TAG	AA/ TT?
AACT	ACC TGG N 11: AAT	L I	ACAI	TTGC AACC F C CTG1	O70 STATE ATA OR OR	ATA	TGG ACC L RF [GAC	108 CIT. GAA A> S 4] 113 AAA	AAA TTT C	TTA FGG ACG	GAG CTC S	TAG	TCT TAA	ATC TAG 1 AGT	AA/ TTT
AACT L <0 ATAA TATT	ACC TGG N 11: AAT	L I	ACAI	TTGC AACC F C CTG1	O70 STATI ATA OR OR	AC V	TGG ACC L RF [GAC CTG	108 CTT GAA A> S 4] 113 AAA TTT	AAA TIT C O ITT AAA	TTA FGG ACG	GAG CTC S	TAG	TCT TAA	ATC TAG 1 AGT	AA/ TTT
AACT	ACC TGG N 11: AAT	L I	ACAI	TTGC AACC F C CTG1	O70 STATI ATA OR OR	AC V	TGG ACC L RF [GAC CTG	108 CIT. GAA A> S 4] 113 AAA	AAA TIT C O ITT AAA	TTA FGG ACG	GAG CTC S	TAG	TCT TAA	ATC TAG 1 AGT	AA/ TTT
AACT	ACC TGG N 11: AAT: TTA	L I	ACAI	TTGC AACC F C	O70 STAT ATA OR L20 AATA TAT OR	AC V	TGG ACC L RF [GAC CTG	108 CIT GAA A> S 4] 113 AAA TIT	AAAACC	TTA FGG ACG	GAG CTC S	TAG	TCT TAA	ATC TAG 1 AGT	L L CGG
AACT	ACC TGC N 11: AAT: TTA:	LO AAGZ	ACAL 2°	ITGG AACG F G C	OR O	AC TG	TGG ACC L RF [GAC CTG	108 CTT GAA A> S 4] 113 AAA TTT F 118	AAAACC	ACG TGC	GAG CTC 11 AAA TTT	TAG TAG TAG TAG TAG AAA R	TAA	TAG 1 AGT TCA	L L L CGG GGC
AACT L 20 ATAA TATT	ACC TGG N 11: AAT: TTA	L I	ACAL PATACATC	TTGC PACC TGC TGC TGC TGC	OR OR	AC TG	TGG ACC L Q RF [GAC CTG	1088 CTT GAA A> S 4] 41 41 41 118	C C C C C C C C C C C C C C C C C C C	ACG TGC	GAG CTC S 11 AAA TTT 11 GTA	TAG TAG TAG TAG TAG TAG TAG TAG	TAA	TAG 1 AGT TCA 1:	L L L CGC GGC
AACT L ATAA TATT ATCA	ACCTTGG	ITT	ACAI	TTGG RACC F (1) CACL TTGT V	OR O	AC Y	TGG ACC L Q RF [GAC CTG CTG	1088 CTT GAA A> S 4] 113 AAA TTT 4] 118 ACA	C C C C C C C C C C C C C C C C C C C	TTA F.	GAG CTC S 11 AAAA TTT 11 GTA	ATC TAG 40 TTT AAA K 90 TTAA	TAA TAA ATT	ATC TAG 1 AGT TCA TCA TCA TCA TCA TCA TCA TCA TCA TC	L L L CGG GCC 200
AACT L ZO ATAA TATT TATT TATCA	ACCTTGG	ITT	ACAI	TTGG RACC F (1) CACL TTGT V	OR O	AC Y	TGG ACC L Q RF [GAC CTG CTG	1088 CTT GAA A> S 4] 113 AAA TTT 4] 118 ACA	C C C C C C C C C C C C C C C C C C C	TTA F.	GAG CTC S 11 AAAA TTT 11 GTA	ATC TAG 40 TTT AAA K 90 TTAA	TAA TAA ATT	ATC TAG 1 AGT TCA TCA TCA TCA TCA TCA TCA TCA TCA TC	L L L CGC GCC
AACT L ATAA TATT ATCA	ACCTTGG	ITT	ACAI	TTGG RACC F (1) CACL TTGT V	OF CRATA	AC TG	TGG ACC L GAC CTG RF [CAT GTA	1088 CTT GAA A> S 4] 113 AAA TTT 4] 118 ACA	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	TTA F.	GAG CTC S 11 AAAA TTT 11 GTA	ATC TAG 40 TTT AAA K 90 TTAA	TAA TAA ATT	ATC TAG 1 AGT TCA TCA TCA TCA TCA TCA TCA TCA TCA TC	L L L CGC GCC
OS AATAL TTAT	ACCTTGG	ITT	ACAI	TTGG AACC F (1) CACL TTGT V	OF CRATA	AC TG	TGG ACC L GAC CTG RF [CAT GTA	1088 GAA A> \$4] 113 AAA TIT 118 ACA	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	TTA F.	GAG CTC S 11 AAAA TTT 11 GTA	ATC TAG 40 TTT AAA K 90 TTAA	TAA TAA ATT	ATC TAG 1 AGT TCA TCA TCA TCA TCA TCA TCA TCA TCA TC	L L L CGC GCC
AACT L ATAA TATT TATCA TAGT	ACCTEGN 11:	ITT: AAAI 10 AAGI ITC: ATAI	ACAL 2211 ATAC Y AACT	111GCAAACC	OR CTATA	ACT V	TGG ACC L GAC CTG RF [CAT GTA RF [1088 GAA A> S 4] 113 AAA TIT 118 ACA TGT 4]	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ACG TGC TGC GGA	CAG CTC S 11 AAA CTT 11 GTA CAT	ATC TAG 10 40 TIT AAA K 90 TTA AAT 40	TAA ATT AAA	TAG 1 AGT 1 AGT CCA	L L L CGC GGC P P CAGT
ATAA TATT TAGT	ACCT TEGEN TO THE TERM TERM TERM TERM TERM TERM TERM TER	ITT: AAAI 10 AAGI ITC: ATAI ATAI	ACAL 2 ATA ATA ATA TAI S S STAI	TTGGAACCO	OR CTCA	AC TO	TGG ACC L GAC CTG RF [CAT GTA RF [108 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ACG TGC TGC GGA	CAG CTC S 11 AAA TTT 11 CAT 12 FTT	ATC TAG 10 40 TITAAA K 90 TTAAAT 40 TTG	TAAAATT	TAG 1 AGT 1 AGT CCA 1 TTC	L L L S C G C G C C C C C C C C C C C C C C C
ATAA TATT TAGT	ACCT TEGEN TO THE TERM TERM TERM TERM TERM TERM TERM TER	ITT: AAAI 10 AAGI ITC: ATAI ATAI	ACAL 2 ATA ATA ATA TAI S S STAI	TTGGAACCO	OR CTCA	AC TO	TGG ACC L GAC CTG RF [CAT GTA RF [108 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ACG TGC TGC GGA	CAG CTC S 11 AAA TTT 11 CAT 12 FTT	ATC TAG 10 40 TITAAA K 90 TTAAAT 40 TTG	TAAAATT	TAG 1 AGT 1 AGT CCA 1 TTC	L L L S C G C G C C C C C C C C C C C C C C C
AACT L ZQ ATAA TATT ATCA TAGT	ACCT TEGEN TO THE TERM TERM TERM TERM TERM TERM TERM TER	ITT: AAAI 10 AAGI ITC: ATAI ATAI	ACAL ATAL AACI AACI ATAL ATAL	TTGGAACC TTGTGACCCTGTGTGACCCTGTGACCCTGTGACCCTGTGACCCTGTGACCCTGTGACCCTGACCCTGACCCTGACCCTGACCCTGACCCTGACCCTGACCCTGACCCTGACCACACCTGACCACACCTGACCACACCTGACCACACCTGACCACACCTGACCACACCTGACCACACCTGACCACACCTGACCACACCTGACCACACCTGACCACACCTGACCACACACCTGACCACACACA	OR CTCA	AC V	TGG ACC L Q RF [GAT GTA RF [GGA	108 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	AAAA CC OATA AAAA CC OATA CC O	ACG TGC R	GAG CTC S 11 AAA TTT GTA CAT 12 ITT	TAG TAG TAG 40 TTT AAA TTAA AAT 40 TTG AAAC	TAAAATT	ATC TAG I AGT TCA I SGT CCA I TCA AGG AGG	L L L L C C C C C C C C C C C C C C C C

Express Mail No. EL818623952US Inventor(s): Cvitkovitch et al Atty Dkt No.: 1889-00401 Contact: C.M. Mintz (713)238-8000 Sheet 12 of 19

	_																
mmaa		260			12'				280			129				13	
TTGG	TECH NAMED	74747 C	TAT	CT.	7.T.W	AGT(CA(CA	ATA	TCA	ACA	TTG	AA	CAC	AC	IIG	AG
								2/2 T.	7.2.7.7. T. 13.7.7.		TGI	AAC	TIC	310			
er er			r:₩		- : :	ORI	and the	[4	ו כ	ப் ஃஜீ	V.C.	N		10			L
			••						, <u> </u>	·······							_
	3	310)		132	20		1.	330			134	0			13	50
AAAG	AGC	TAA	CTI	AĠ	CGC:	TAT	rcç:	rgc:	AAA	CTC	GAI	CAT	ATZ	AGC	TG	GT	ΤA
TTTC	TCC	ATI	GAA	TC	GCG	\TA!	\GGZ	\CG'	III	gag	CTA	GTA	TA	rcc	:AC	CA.	AT
F	D.	Υ.	S.	L.	A	Ţ			F	E	Ĭ	M	χY	24		T	'nΙ
<u> </u>						_ORI	RI	[4]	I C								
	7	360			137	70		4.	200								
TAAT	-			CA			יייינייר		380 230	الماليات	ሮአ ሞ	139 2007				14	
ATTA	.CGA	TGA	CGG	GT/	AAT	GTTI	AGC	ZAA	and.	AAC	CAT.	(CCT)	اماران وجارون	ያልብ የአባ	andrig.	1	AT.
Z.T.	· S	S	G	M	ν	Ĩ	G	័ខ	Ť					EST.			ın.
·	.,, .				*****	ORI	R	[4]	C	1000	·*************************************	· · · · · · · · · · · · · · · · · · ·	1401 L	2-472-14	i Ti si s	(V. *	
					•	ح.	E	K	L	E	M	W	s	I	,	S	¥
					<_												
	4	410							 .								
ATGA				777A.7	142 2202		1012 C		130 777		. ~~	144				14	50
TACT	AAC	CCC	CGG	ATI	LECA STATES	ביותה דביניים	CTTC	MARK.	77 C	مرات مرات	RCA TOT	GGC MAG	AGC	:AG	AC	CA	ra.
1 1	r A	FR	₹		O Name o	3.00F		~*******					to:				e.
	* 1 **1				W	ORE	RE	[4]	C	TOME.	#75C/(indrie.	22. 83	MYS.	Van ve	+
<\$	Q	G	G	L	С	T	L	V	P	L	L	C	(V	М	
								_									_
አአኳጥ		460	י מבי	e a	147				180			149				15	00
AAAT TTTA	TAT	ZZZ	TOT	لبدلايا حصح	لەمدامالىدا ئەكەرلايد	CAT	יא מבדני	TG1	CTI	EN NO	aag maa	ATA	AAT	.rg	AI	AA	AG
28	I 44.	N	is.	s 🟋		S	N	0	R.	N.	TE	TAT	TIA	LAC S		ATAT.	rc Z
			. Visite co		,	ORF		[4]	• 2• • •	: #>	n. TEG	· \\Ti				. 	15.5°
						-			-		*****						_
		510			152	-			30			154				155	50
CTAT			AAG	AGG	CTC	TGC	AGG	AT	AAZ)CA(3GT	TTA	CG1	.TC	AC	CA:	ŗ¢
GATA'	T.T.T.	TAI	LIC	rcc	GAC	AÇÇ	TCC	TAT	TT	(GT(CA	AAT	GCA	AG	TG	GT2	/G
	*3.47		. /4 /::	-			RF	Y.		L	-VN	, v. V	Į.Ņ		٧.	M	
						OKE	K.F	[4]	Ç_	-							
	1	560			157	0		1.5	80			159	n			160	١٨
GTAA	CAG	CAA	TCA:	ΓTΑ			AAT	TGO	ТТ	TCC	AA	AAA	u Aga	ĠΤ	TA	፲ O (አጥነ	יט מכי
CATT	STC	GIT	AGTI	LAP	'AGT	CTT	TTA	\mathbf{ACC}	יעב	יאמי	wjuste	THE WAY	44/417	מיזי	አጥ	T 2. 7	
T V	A	Ţ	M	Ţ	. L	F	N	S		Š		r.	r (S)	Ť~	ď	· · · ·	Ė
						ORF	RF	[4]	C_								_
	٦.	610			1 = 0												
Calalala			44 A A A		162 202	•	~		30			164	0			165	0
CTTT	AAG	CTA	LaLaLa	באר	ندنټايل. ويسرونه	TTH.	ニンン	es Circles	ייע הי		MA.	TAG2	AAA	CA	AG.	AGZ	A
< K		S ()			v.	N	S.		K	(8,%) CT1	T.	ALC.	i i I	ĿT.	TC'	rc'i	T
		71. 41.04	• • • • • •		7	ORF	RF	[4]	C.	- (:::	ATTE A	:=5%	OB C			u ::: '	#
										***							-
		560			167				80		:	1690	3		:	170	0
ATAG?	AC(GT:	PAGE	LTA	AGT	TAA'	TAA	ACC	ATI	TGA	AA	GTA:	CA	TT	AA	3GC	T
TATC:	T (3)	LAZ Fil	41°C] (41	AT	TÇA	ATT)	ATT	rgg	TAA	ACI		CAT	\GT	AA:	TT(CCG	A
¥1		u r iq ş	: *** **	i ≓ '.''	ate ta li.	ORF	. (بلار 1900	(4.1	N.	S	ئين	: <u>''T</u>	M	3	Ľ,	Ä	
						UK.P	KT	r#]	<u>. </u>								

Contact: C.M. Mintz (713)238-8000

Sheet 13 of 19



Express Mail No. EL818623952US Inventor(s): Cvitkovitch et al Atty Dkt No.: 1889-00401 Contact: C.M. Mintz (713)238-8000 Sheet 14 of 19

						0	RF	RF	[6]	C.							
	2	206	٥		2	070			20	80			209	90		2:	LOC
ltci																	
LAGA																	
K C		, A. (5)	N		M			.Y RF			A llys	S	E 3	E.	R	H	S
≼R	A	T	ř	C Y	q :	<u>. </u>			,	Ψ,			·		~		
	_01	EF.	RF	[6]	c												
	2	211	0		2	120			21	130			214	40		2:	L 5 (
JAAC																	
TTG															STC	TAT	iG/
E.	J.		• 0 P 0	N	L	* * * * * * * * * * * * * * * * * * * *		, .,	****		*** ** ***	D			S	′′ V ≾	
						0	RF	RF	[5]	Ç							
	2	216	0		2	170	;		21	180			21:	90		2:	200
JATA				TG2						•		rgto			ACA		
CTAI	'GA(TT	TTC	AC.	rcc	CCG	TA:	ГTT	GAG	TC	TTZ	ACA(AG	CAC	TGT	TTC	IG.
											2	4 (: :	R :	D .	K I	D>
2:225	e volte			2777232	.	والمراجعة والمتلاط	e-					<u> </u>	2.000	=	La Fetta	20000000	:-
SAB	ž.Q	C.F.	(92)		Deter S							1/9/5		E	V		Ä.
							KF	RF	Γ⊃ĵ	<u>_</u>							
	2	221	0		2	220	,		22	230			22	40		2:	25
ATAA	CTC	CA	CTZ	\GG/	ATT	ATG	CT	FTC				ATTO	 3GC	TAC:	TTC	CAG:	
																GTC	
A N		3	T	R	I	M	Ŀ	\$	N	ĭ	Ŀ	I	G	Y	F	Q	5
						c	RF	RF	[5]	C		-			2.1. (,	(T	
		226															30
rtro																	
AAA																	
F	L	F	L	F	F	E	, 1	F :	N	I	Q	K	E	N	Ţ	V	
K.	K	70	100	ंग्र	· K		1	e di di	70.0	110	Marile 1	1 ₂ . (*)		986 ÷	W	e	.211.20
475164		1. 	F.1.22.		31-777	0	RF	RF	[5]	Č	.:;	ratio	ori est		·~: •	च्छी विक्री 	12 - ji:
		231	^		-	220			-							_	
יימרי	-		_	מבו בו	_	320 GCC		ידי בי		330		[1477 PM*/	23			AAA:	35
ACG0	GA	۱۸A	GT	CC.	TAT	ĊGC	'AG'	ΓTA	TT	בבי בבי	CA					LLL.	
A	L	F	F	١ ١	•	S	v	N	K	Ľ]						N>
<Ç.	K.	E	: I	•	Γ.,	A	D 🤄	I	Œ:	Q	, ::J	ָּנְייִי <u>ַּר</u>	Ž.Ý	K	G 🔆	F.	E
						_°	RF	RF	[5]	C							
		236			-	3 77 A			-							_	
GTCA			יידיזי אידיזי	\ ጥ ኋ2	ACD.	3 / U	מרמ.	بلجلية	es Ptr	ייייט טיפיל	LVTV	ייני ארי	ころい	3 C C	יייי	21 7.7.70	40
AGT	TA	\GA	AAT	'ΑΤ΄	CI	GGT	TA	AAA	AA	LO.	' + + 144	JTA(AIL.	TCG:	YCC.	: تلاطال 17 جمع	ייים בייי
		?	F	I	R	P	I	F	E	,	F	H	D	 .	C	N.	
S Ç	<i>(</i>	•															
3 Ç																	
S C		-						-				M	Ī,	A	A	M	
S C					SE		N T	· · · · · · · · · · · · · · · · · · ·	· jioz	ė:070	1 60	M					· #

Contact: C.M. Mintz (713)238-8000

Sheet 15 of 19

2410 2420 2430 2440 2450 GGTTTCAAGACGTCCTTGTTGTAAAAAATCATCTTCCAATACAAAAATAG CCAAAGTTCTGCAGGAACAACATTTTTTAGTAGAAGGTTATGTTTTTATC G F K T S L L> V S R R P C C K K S S S STATE OF COLUMN TWO DESCRIPTIONS ORF RF[5] C 2460 2470 2480 2490 2500 AAATCATTATTTCTCCTTTAATCTTCTATTTAGGTTAGCTGATTAACACT TTTAGTAATAAAGAGGAAATTAGAAGATAAATCCAATCGACTAATTGTGA E I I I S P L I F Y L G> <I M 2510 2520

2510 2520 2530 2540 2550 ATACACAGAAAAGGTATAAAACGATATCACTCAATAAAATCTACTAACTT TATGTGTCTTTTCCATATTTTGCTATAGTGAGTTATTTTTAGATGATTGAA

AATAACC TTATTGG

Contact: C.M. Mintz (713)238-8000

Sheet 16 of 19

Figure 10

The comX nucleotide sequence, amino acid sequence, and its local region with 100bp included both upstream and downstream (promoter is upstream).

> S. mutans comX gene

S. mutans ComX protein

MEEDFEIVFNKVKPIVWKLSRYYFIKMWTREDWQQEGMLILHQLLREHPELEEDDTKLY IYFKTRFSNYIKDVLRQQESQKRRFNRMSYEEVGEIEHCLSSGGMQLDEYILFRDSLLA YKQGLSTEKQELFERLVAGEHFLGRQSMLKDLRKKLSDFKEK

S. mutans comX gene local region

Express Mail No. EL818623952US Inventor(s): Cvitkovitch et al Atty Dkt No.: 1889-00401 Contact: C.M. Mintz (713)238-8000

Sheet 17 of 19

Figure 11.

The comA and comB nucleotide and amino acid sequences. ComA and ComB are the components of the CSP exporter.

S. mutans comA gene

ATGAAACAAGTTATTTATGTTGTTTTAATCGTCATAGCCGTTAACATTCTCTTAGAGAT TATCAAAAGAGTAACAAAAAGGGGAGGGACAGTTTCGTCATCTAATCCTTTACCAGATG GGCAGTCTAAGTTGTTTTGGCGCAGACATTATAAGCTAGTACCTCAGATTGATACCAGA GACTGTGGGCCGGCAGTGCTGGCATCTGTTGCAAAGCATTACGGATCTAATTACTCTAT CGCTTATCTGCGGGAACTCTCAAAGACTAACAAGCAGGGAACAACAGCTCTTGGCATTG TTGAAGCTGCTAAAAAGTTAGGCTTTGAAACACGCTCTATCAAGGCGGATATGACGCTT TTTGATTATAATGATTTGACCTATCCTTTTATCGTCCATGTGATTAAAGGAAAACGTCT GCAGCATTATTATGTCGTCTATGGCAGCCAGAATAATCAGCTGATTATTGGAGATCCTG ATCCTTCAGTTAAGGTGACTAGGATGAGTAAGGAACGCTTTCAATCAGAGTGGACAGGC CTTGCAATTTTCCTAGCTCCTCAGCCTAACTATAAGCCTCATAAAGGTGAAAAAAATGG TTTGTCTAATTTCTTCCCGTTGATCTTTAAGCAGAAAGCTTTGATGACTTATATTATCA TAGCTAGCTTGATTGTGACGCTCATTGATATTGTCGGATCATACTATCTCCAAGGAATA TTGGACGAGTACATTCCTGATCAGCTGATTTCAACTTTAGGAATGATTACGATTGGTCT GATAATAACCTATATTATCCAGCAGGTCATGGCTTTTGCAAAAGAATACCTCTTGGCCG TACTCAGTTTGCGTTTAGTCATTGATGTTATCCTGTCTTATATCAAACATATTTTTACG CTTCCTATGTCTTTGCGACAAGGCGAACAGGAGAAATCACGTCTCGTTTTACAGA TGCCAATCAGATTATTGATGCTGTAGCGTCAACCATCTTTTCAATCTTTTTAGATATGA ACCTTGCTCTCCATTCCGATTTATGCCATCATTATTTTTGCTTTCTTGAAACCCTTTGA GAAAATGAATCACGAAGTGATGGAAAGCAATGCTGTGGTAAGTTCTTCTATCATTGAAG ATATCAATGGGATGGAAACCATTAAATCACTCACAAGTGAGTCCGCTCGTTATCAAAAC ATTGATAGTGAATTTGTTGATTATTTGGAGAAAAACTTTAAGCTACACAAGTATAGTGC CATTCAAACCGCATTAAAAAGCGGTGCTAAGCTTATCCTCAATGTTGTCATTCTCTGGT ATGGCTCTCGTCTAGTTATGGATAATAAAATCTCAGTTGGTCAGCTTATCACCTTTAAT GCTTTGCTGTCTTATTTCTCAAATCCAATTGAAAATATTATCAATCTGCAATCCAAACT GCAGTCAGCTCGCGTTGCCAATACACGTCTTAATGAGGTCTATCTTGTCGAATCTGAAT TTGAAAAAGACGGCGATTTATCAGAAAATAGCTTTTTAGATGGTGATATTTCGTTTGAA AATCTTTCTTATAAATATGGATTTGGGCGAGATACCTTATCAGATATTAATTTATCAAT CAAAAAAGGCTCCAAGGTCAGTCTAGTTGGAGCCAGTGGTTCTGGTAAAACAACTTTGG CTAAACTGATTGTCAATTTCTACGAGCCTAACAAGGGGATTGTTCGAATCAATGGCAAT GATTTAAAAGTTATTGATAAGACAGCTTTGCGGCGCATATTAGCTATTTGCCGCAACA GGCCTATGTTTTTAGTGGCTCTATTATGGATAATCTCGTTTTAGGAGCTAAAGAAGGAA CGAGTCAGGAAGACATTATTCGTGCTTGTGAAATTGCTGAAATCCGCTCGGACATTGAA CAAATGCCTCAGGGCTATCAGACAGAGTTATCAGATGGTGCCGGTATTTCTGGCGGTCA AAAACAGCGGATTGCTTTAGCTAGGGCCCTTATTAACACAGGCACCGGTTTTGATTCTGG ATGAAGCCACCAGCAGTCTTGATATTTTGACAGAAAAGAAAATTATCAGCAATCTCTTA CAGATGACGGAGAAAACAATAATTTTTGTTGCCCACCGCTTAAGCATTTCACAGCGTAC TGACGAAGTCATTGTCATGGATCAGGGAAAAATTGTTGAACAAGGCACTCATAAGGAAC TTTTAGCTAAGCAAGGTTTCTATTATAACCTGTTTAAT

S. mutans ComA protein

Contact: C.M. Mintz (713)238-8000

Sheet 18 of 19

MKQVIYVVLIVIAVNILLEIIKRVTKRGGTVSSSNPLPDGQSKLFWRRHYKLVPQIDTR
DCGPAVLASVAKHYGSNYSIAYLRELSKTNKQGTTALGIVEAAKKLGFETRSIKADMTL
FDYNDLTYPFIVHVIKGKRLQHYYVVYGSQNNQLIIGDPDPSVKVTRMSKERFQSEWTG
LAIFLAPQPNYKPHKGEKNGLSNFFPLIFKQKALMTYIIIASLIVTLIDIVGSYYLQGI
LDEYIPDQLISTLGMITIGLIITYIIQQVMAFAKEYLLAVLSLRLVIDVILSYIKHIFT
LPMSFFATRRTGEITSRFTDANQIIDAVASTIFSIFLDMTMVILVGGVLLAQNNNLFFL
TLLSIPIYAIIIFAFLKPFEKMNHEVMESNAVVSSSIIEDINGMETIKSLTSESARYQN
IDSEFVDYLEKNFKLHKYSAIQTALKSGAKLILNVVILWYGSRLVMDNKISVGQLITFN
ALLSYFSNPIENIINLQSKLQSARVANTRLNEVYLVESEFEKDGDLSENSFLDGDISFE
NLSYKYGFGRDTLSDINLSIKKGSKVSLVGASGSGKTTLAKLIVNFYEPNKGIVRINGN
DLKVIDKTALRRHISYLPQQAYVFSGSIMDNLVLGAKEGTSQEDIIRACEIAEIRSDIE
QMPQGYQTELSDGAGISGGQKQRIALARALLTQAPVLILDEATSSLDILTEKKIISNLL
QMTEKTIIFVAHRLSISQRTDEVIVMDQGKIVEQGTHKELLAKQGFYYNLFN

➣ S. mutans comB gene ATGGATCCTAAATTTTTACAAAGTGCAGAATTTTATAGGAGACGCTATCATAATTTTGC GACACTATTAATTGTTCCTTTGGTCTGCTTGATTATCTTCTTGGTCATATTCCTTTGTT TTGCTAAAAAAGAAATTACAGTGATTTCTACTGGTGAAGTTGCACCAACAAAGGTTGTA GATGTTATCCAATCTTACAGTGACAGTTCAATCATTAAAAATAATTTAGATAATAATGC AGCTGTTGAGAAGGGAGACGTTTTAATTGAATATTCAGAAAATGCCAGTCCAAACCGTC AAACACCAAAAGAGCAAGAAAAAGAAGAGCTCTAAGAGCAAGAAAGCTTCCAAAGATAA GAAAAAGAAATCGAAAGACAAGGAAAGCAGCTCTGACGATGAAAAATGAGACAAAAAAGG TTTCGATTTTTGCTTCAGAAGATGGTATTATTCATACCAATCCCAAATATGATGGTGCC AATATTATTCCGAAGCAAACCGAGATTGCTCAAATCTATCCTGATATTCAAAAAACAAG AAAAGTGTTAATCACCTATTATGCTTCTTCTGATGATGTTGTTTCTATGAAAAAGGGGCC AAACCGCTCGTCTTTCCTTGGAAAAAAGGGAAATGACAAGGTTGTTATTGAAGGAAAA ATTAACAATGTCGCTTCATCAGCAACTACTACAAAAAAGGAAATCTCTTTAAGGTTAC TGCCAAAGTAAAGGTTTCTAAGAAAATAGCAAACTCATCAAGTATGGTATGACAGGCA AGACAGTCACTGTCATTGATAAAAAGACTTATTTTGATTATTTCAAAGATAAATTACTG CATAAAATGGATAAT

S. mutans Comb protein
MDPKFLQSAEFYRRRYHNFATLLIVPLVCLIIFLVIFLCFAKKEITVISTGEVAPTKVV
DVIQSYSDSSIIKNNLDNNAAVEKGDVLIEYSENASPNRQTEQKNIIKERQKREEKEKK
KHQKSKKKKKSKKKASKDKKKKSKDKESSSDDENETKKVSIFASEDGIIHTNPKYDGA
NIIPKQTEIAQIYPDIQKTRKVLITYYASSDDVVSMKKGQTARLSLEKKGNDKVVIEGK
INNVASSATTTKKGNLFKVTAKVKVSKKNSKLIKYGMTGKTVTVIDKKTYFDYFKDKLL
HKMDN

Contact: C.M. Mintz (713)238-8000

Sheet 19 of 19




Figure 12